



TITLE:

Cover

AUTHOR(S):

CITATION:

Cover. The Review of Physical Chemistry of Japan 1967, 36(2)

ISSUE DATE:

1967-04-30

URL:

<http://hdl.handle.net/2433/46880>

RIGHT:

K. Hara

Vol. 36, 1966

No. 2

THE REVIEW OF PHYSICAL CHEMISTRY OF JAPAN

Founded in 1926

CONTENTS

Jiro Osugi, Kiyoshi Shimizu, Tokio Nakamura and Akifumi Onodera : High Pressure Transition in Cadmium Sulfide	59
Jiro Osugi, Kiyoshi Shimizu, Tokio Nakamura and Akifumi Onodera : Electrical Conductivity of Cadmium Sulfide under High Pressure and High Temperature.....	74
Jiro Osugi and Kimihiko Hara : Effect of Pressure on the Electrical Conductivity of Organic Substances (II) α, α'-Diphenyl-β-Picryl Hydrazyl.....	81
Jiro Osugi and Yoichi Kitamura : Optical Studies of Pressure Effects (III) Pressure effect on the Aqueous Solution of Amylose-Iodine Complex.....	88
Jiro Osugi, Sigeru Kusuhashi and Satoshi Hirayama : Kinetic Studies on Fast Reactions in Solution (I) Photoreduction of 2-Acetonaphthone.....	93
Jiro Osugi, Muneco Sasaki and Ichiro Onishi : The Effect of Pressure on the Rate of the Benzidine Rearrangement (II) <i>o</i>, <i>o'</i>-Hydrazotoluene.....	100
Koichiro Aoki, Mitsuru Tanaka, Koichi Hiramatsu and Shoji Kaneshina : Aggregation of Bovine Serum Albumin under High Pressure.....	111

THE PHYSICO-CHEMICAL SOCIETY OF JAPAN

THE REVIEW OF PHYSICAL CHEMISTRY OF JAPAN

(Butsuri-Kagaku no Shinpo)

President : Shinkichi Horiba, Professor Emeritus, M. J. A.

Members of Council :

Azuma Okuda (Chief)

J. Osugi	S. Kachi	I. Tsujikawa
K. Kodera	H. Takagi	A. Kaji
R. Goto	H. Hatano	A. Saika
T. Yamamoto	W. Jono	
T. Fujinaga	R. Goto	
S. Tanaka	E. Suito	

Board of Editors :

J. Osugi (Chief)	<i>Kyoto University</i>
W. Jono (Associate)	<i>University of Kobe</i>
R. Goto (")	<i>Kyoto University</i>
E. Suito (")	<i>Kyoto University</i>
S. Shida	<i>Tokyo Institute of Technology</i>
T. Kitagawa	<i>Yokohama University</i>
M. Tamura	<i>Kyoto University</i>
H. Matsuyama	<i>Doshisha University</i>
T. Makita	<i>Kyoto Technical University</i>
K. Suzuki	<i>Ritsumeikan University</i>
K. Hirota	<i>University of Osaka</i>
S. Seki	<i>University of Osaka</i>
T. Ishino	<i>Himeji Institute of Technology</i>
T. Imoto	<i>Municipal University of Osaka</i>
R. Fujishiro	<i>Municipal University of Osaka</i>
O. Toyama	<i>Prefectural University of Osaka</i>
S. Ono	<i>Prefectural University of Osaka</i>
S. Tsuchihashi	<i>University of Kobe</i>
S. Hasegawa	<i>Okayama University</i>
H. Togawa	<i>Doshisha University</i>

Secretary :

K. Shimizu	M. Sato
T. Fujiwara	

April 30, 1967

Communications to the Editor should be addressed to Board of Editors, The Physico-Chemical Society of Japan, College of Science, Kyoto University, Kyoto, Japan.

Business Correspondences should be addressed to: Secretary, The Physico-Chemical Society of Japan, College of Science, Kyoto University, Kyoto, Japan.

Purchase Order should be addressed to: Maruzen Co., Ltd., Nihonbashi, Chuo-ku, Tokyo, Japan.

Published by

THE PHYSICO-CHEMICAL SOCIETY OF JAPAN

(Nippon Butsuri-Kagaku Kenkyu Kai)

College of Science, Kyoto University, Kyoto, Japan

Printed by KAWAKITA INSATSU CO., Kyoto, Japan



Single crystals of HORIBA INSTRUMENTS, INC., offered as complete products ready to use which are free from impurity absorption, have acquired worldwide reputations.

Our scintillators, such as NaI (Tl), CsI (Tl) or CaI_2 are also credited and used internationally by the nuclear scientists, for the established qualities.

	NaCl	KCl	KBr	KI	LiF	AgCl	KRS-5*	KRS-6*	CsI
Limit of transparency (microns)	~15	~21	~27	~31	~6	~30	~40	~34	~70
Refractive index:	1.555	1.498	1.559	1.667	1.394	2.071	2.629	2.336	1.987
Solubility:**	35.7	28.5	53.5	127.5	0.27	8.9×10^{-5}	0.02	0.32	44
Specific gravity: gr/cm^3	2.16	1.59	2.75	3.13	2.64	5.56	7.2	7.19	4.53
Melting point: °C	801	776	730	680	843	455	415	424	621
Maximum diameter: mm	120	120	120	120	100	60	60	60	60
Maximum height: mm	100	100	100	70	60	100	60	100	100

* KRS-5 is a compound single crystal of TlI and TlBr, and KRS-6 is a compound single crystal of TlCl and TlBr.

** g/100 gr water at normal temperature.



HORIBA

INSTRUMENTS, INC.

Head office & Factory:
Nakagawara Miyahigashi-machi,
Kissyojin, Minami-ku, Kyoto
Tel: 37-8121

Tokyo branch office:
No. 2-10, Nishihatchobori, Chuo-ku,
Tokyo Tel: 552-7661

The Review of Physical Chemistry of Japan

Vol. 36, 1966

CONTENTS

No 1

Jiro Osugi, Kiyoshi Shimizu and Hideto Takizawa : Effect of Pressure on the Dissociation of Electrolytic Solution (III) Electrical Conductivity of Hexamine Cobalt (III) Sulphate at High Pressures.....	1
Jiro Osugi, Tetuo Mizukami and Tadafumi Tachibana : The Effect of Pressure on the Keto-enol Equilibria of Acetone and Cyclohexanone.....	8
Jiro Osugi and Kimihiko Hara : Effect of Pressure on the Electrical Conductivity of Organic Substances (I) Pyrolyzed Polyacrylonitrile	20
Jiro Osugi and Kimihiko Hara : High-pressure Melting in Polyethylene	28
Jiro Osugi, Ryosuke Namikawa and Yoshiyuki Tanaka : Chemical Reaction at High Temperature (III) Reaction of Silicon and Phosphorus at High Temperature and High Pressure.....	35
Kiyoshi Kitamura : Inactivation of Enzymes under High Pressure (II) Inactivation of Bacterial Al-Proteinase and β -Amylase of Barley under High Pressure	44
Jiro Osugi, Kiyoshi Shimizu, Yoshiyuki Tanaka and Kosaku Kadono : Preparation and Chemical Properties of Cubic Boron Arsenide, BAs.....	54

No. 2

Jiro Osugi, Kiyoshi Shimizu, Tokio Nakamura and Akifumi Onodera : High Pressure Transition in Cadmium Sulfide	59
Jiro Osugi, Kiyoshi Shimizu, Tokio Nakamura and Akifumi Onodera : Electrical Conductivity of Cadmium Sulfide at High Temperature.....	74
Jiro Osugi and Kimihiko Hara : Effect of Pressure on the Electrical Conductivity of Organic Substances (II) α , α' -Diphenyl- β -Picryl Hydrazyl.....	81
Jiro Osugi and Yoichi Kitamura : Optical Studies of Pressure Effects (III) Pressure effect on the Aqueous Solution of Amplose-Iodine Complex.....	88
Jiro Osugi, Sigeru Kasuhara and Satoshi Hirayama : Kinetic Studies on Fast Reactions in Solution of 2-Acetonophone	93
Jiro Osugi, Munao Sasaki and Ichiro Onishi : The Effect of Pressure on the Rate of the Benzidine Rearrangement (II) <i>o</i> , <i>o'</i> -Hydrazotoluene.....	100
Koichiro Aoki, Mitsuru Tanaka, Koichi Hiramatsu and Shoji Kaneshina : Aggregation of Bovine Serum Albumin under High Pressure	111

Published by

THE PHYSICO-CHEMICAL SOCIETY OF JAPAN

College of Science, Kyoto University, Kyoto, Japan

NISSO SERVING ALL INDUSTRIES THROUGH CHEMICALS




- NISSO HI-CHLON, Granule, Tablet
(Calcium Hypochlorite 70% up)
- HIGH BLEACHING POWDER
(Calcium Hypochlorite 60% up)
- SODIUM CYANIDE 97% min.
Ball, Granule, Powder
- POTASSIUM CYANIDE 98% min.
Ball, Granule, Powder
- SODIUM HYDROSULFITE
85% or 90% min.
- CAUSTIC SODA, Flake
97% or 98% min.
- CAUSTIC POTASH, Solid, Flake
98% min.
- POTASSIUM CARBONATE, Granule
99.5% min.
- WHITEX (Benzole Peroxide 22-25%)
Flour Bleach
- TDI 2, 4-TDI 80%
(Tolylene Diisocyanate)
- POLYPROPYLENE GLYCOL
- ORTHO-TOLUNENE-SULFONAMIDE
- SULFAISOXAZOLE (SULPHAFURAZOLE)
U. S. Pharmacopeia XVII
B. Pharmacopeia 1963
- HYDROXY PROPYL CELLULOSE




NIPPON SODA CO., LTD.

Head Office : Ohtemachi, Tokyo, Japan
Cable Address : "SODANIPPON" TOKYO

VERY HIGH PRESSURE EQUIPMENT



"DIA" Equipment, Cubic Type Very High Pressure Equipment, Anvil Face 10mmX10mm, Total Weight 8 ton



S.H.P. Measurement Gauge, Electrical Resistance Strain Gauge Type, Calibrated with the Master Free-Piston Gauge in Kobe Steel.
(Japanese PAT. No.294153)



KOBE STEEL

MACHINERY DIVISION

HEAD OFFICE: 36, 1-chome, Wakinohama-cho, Fukiai-ku, Kobe, Japan


OVERSEAS OFFICES: New York, Dusseldorf, New Delhi
TOKYO OFFICE: Yanagiya Bldg., No. 2-1, Tori 2-Chome, Chuo-ku, Tokyo, Japan

Liquid Pressure up to 15,000kg/cm²
Solid Pressure up to 100,000kg/cm²
for Production and Research Purposes
Super High Pressure Generator Unit
Super High Pressure Reaction Vessel
Super High Pressure Measurement Gauge
Super High Pressure Equipment

Other Major Products :

Fertilizer Plant, Cement Plant, Oxygen Plant, Rolled Steel Products, Steel Castings & Forgings, General Industrial Machinery, Light Metal Alloy Castings & Forgings, Titanium Products, Arc Welding Electrodes, Small Tools, Non Ferrous Metals & Their Products, Sugar Cane Milling Plant and others.

The World Knows...



... how the chemical know-how of Toyo Koatsu is contributing to the increase of agricultural production, the modernization of industries and the betterment of people's daily lives. Toyo Koatsu techniques are licensed in and products have been exported to more than 30 countries.

These include urea, ammonium sulphate, synthetic resins and plastics, and other chemicals.



TOYO KOATSU
Industries, Inc.


Head Office: 1-1-1, Honcho, Chiyoda-Ku, Tokyo
Branch Office: 1-1-1, Honcho, Chiyoda-Ku, Tokyo

PRODUCTS FOR TODAY ——— PRODUCTS FOR TOMORROW

KANEGAFUCHI now serves more than 100 industries varying from food to feed, soaps to textiles, electric wires to plastics.

KANEGAFUCHI's variety of products include industrial chemicals, polymers, oil & fat products and fermentation products. Such diversified operation ranks KANEGAFUCHI a unique position in the industry.

KANEGAFUCHI's research activities which enabled successful achievement of today's products are continually producing a flow of new products to meet the challenge of tomorrow



PRINCIPAL PRODUCTS :

- KANEVINYL (PVC & copolymer, PVC compound)
- KANE ACE-S (ABS resin)
- KANE ACE-B (PVC modifier)
- KANE PEARL (expandable polystyrene beads)
- KANEKALON (modacrylic fiber)
- Electric wires & cables
- Caustic soda, Hydrochloric acid, KANECHLOR (transformer oil, heat transfer medium), Butanol, Acetone
- Bakery yeast, RNP (ribo-nucleo-protein), MIKAMY-Feed (animal feed additives)
- Margarine, Shortening oil, Soap, Glycerine

KANEGAFUCHI CHEMICAL INDUSTRY CO., LTD.

14, 2-chome, Awazi-machi, Higashi-ku, Osaka, Japan

Cable address: CHEMIKANE

As specialists we have contributed to the world industries since 1924.

DAIKIN FLUOROCHEMICAL PRODUCTS

FLUOROCARBON REFRIGERANTS

DAIFLON-11 CCl_3F
DAIFLON-12 CCl_2F_2
DAIFLON-13 CClF_3
DAIFLON-21 CHCl_2F
DAIFLON-22 CHClF_2
DAIFLON-112 $\text{CCl}_2\text{F}-\text{CCl}_2\text{F}$
DAIFLON-113 $\text{CCl}_2\text{F}-\text{CClF}_2$
DAIFLON-114 $\text{CClF}_2-\text{CClF}_2$
DAIFLON-115 $\text{CClF}_2-\text{CF}_3$
DAIFLON-152 CH_3-CHF_2
DAIFLON-500 12/152 (73.8/26.2% wt.)
DAIFLON-502 22/115 (48.8/51.5% wt.)

FLUOROCARBON SOLVENTS

DAIFLON SOLVENT S-1, S-2, S-3

AEROSOL PROPELLENTS

DAIFLON Aerosol 50/50,
DAIFLON Aerosol 85/15

FLUOROCARBON POLYMERS

POLYFLON Polytetrafluoroethylene
NEOFLON Copolymer of tetrafluoroethylene and hexafluoropropylene
DAIFLON Polymonochlorotrifluoroethylene
DAIFLOIL Low polymer of monochlorotrifluoroethylene

FLUOROCHEMICALS

Anhydrous Hydrofluoric Acid
Aqueous Hydrofluoric Acid
Benzotrifluoride and its derivatives
Tributyltinfluoride (Antifouling paint)
FRATOL CH_3FCOONa (Rondenticide)
FUSSOL $\text{CH}_3\text{FCOONH}_2$ (Agricultural chemical)
Other Fluorides



For information about products write below address.



DAIKIN KOGYO CO., LTD.

Head Office : Shin-Hankyu Bldg., 8, Umeda, Kita-ku, Osaka, Japan.
Tel : Osaka 312-1201

Cable Address : DAIKINOKAY

Tokyo Branch : Fuji Bldg., 5, 2-chome, Yaesu, Chuo-ku, Tokyo, Japan.
Tel : Tokyo 272-3211

Cable Address : TKYDAIKINOKAY

ASAHI CHEMICAL INDUSTRY CO., LTD.

Capital: ¥ 20,000,000,000

President: KAGAYAKI MIYAZAKI

Head Office: 25, 1-chome, Dojima-hamadori, Kita-ku, Osaka, Japan

Tokyo Office: 12, 1-chome, Yurakucho, Chiyoda-ku, Tokyo, Japan

Other Branch Offices: Nobeoka, Fuji, Fukuoka, Sapporo, Nagoya,
Fukui, Kanazawa, New York, etc.

Plants: Nobeoka, Fuji, Kawasaki, Sakanoichi, Wakayama, Matsudo

Laboratories: Tokyo (Technical Research Laboratory)
Takatsuki (Textile Research Laboratory)

Asahi's history dates as far back as 1923 when the late Mr. Jun Noguchi, who was the first president of the company, erected a synthetic ammonia plant in Nobeoka, present site of the company's major plants. This is a memorable plant in that the first commercial production of synthetic ammonia in the world by the Casale process was successfully started at this plant.

Thereafter Asahi's production activity continued to expand, with the exception of the war years, into great many fields. Using ample electric power from its own power plants and standing on the firmly established basis that primary raw materials are available within the company, Asahi has been producing chemical fibers, synthetic resin, explosives, chemical fertilizers, chemical seasoning, industrial nitrocellulose and several scores of chemicals of ammonia, soda and chlorine derivatives.

This fact points up to Asahi's special feature as a chemical company. Asahi ranks first in the production of viscose rayon in Japan and its cuprammonium rayon capacity is largest in the world. Using acrylonitrile monomer produced by Sohio process at its Kawasaki plant, Asahi produces polyacrylic fiber "Cashimilon" by its own process. Production acrylonitrile monomer and of polyacrylic fiber is also the largest in

Japan. Asahi's chemical seasoning (monosodium glutamate) Asahi Aji, ranks second in output of similar chemical seasonings. Sun-Nitro, Asahi's unique chemical fertilizer, is building up for itself a spectacular sales. Asahi's industrial nitrocellulose and electrolytic soda production is the largest in Japan. Asahi is also at the top in production volume of all the explosives manufacturers in Japan. Recently Asahi launched into three new fields of operation, i.e. nylon 6, synthetic rubber polybutadiene "ASADENE" and new building material "HEBEL".

At present, Asahi's products are exported to 50 different countries. Export of the process is also making headway. Worthy of mention in this connection is the export of viscose rayon manufacturing techniques to the Baroda Rayon Corporation, India, and Dawood Industries Limited, Pakistan, and of polyacrylic fiber manufacturing techniques to ANIC S. p. A., Italy. Through all these activities, the excellence of Asahi's techniques is highly evaluated.

Asahi now has many powerful affiliates, including Asahi-Dow Limited and Shin Nihon Chemical Industry Co., Ltd. and is proceeding on the road to further growth as a multiple-purpose chemical company.